Replaces date: 15/04/2015 Revision date: 11/01/2018

Version: 2.0.0

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: PREVAL SPRAY GUN POWER UNIT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Propellants.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Nakoma Products, Ilc

Address: 8455 S. 77th Avenue

Zip code: 60455

City: Bridgeview

State: Illinois

Country: UNITED STATES OF AMERICA

Phone: 815-634-5890

1.4. Emergency Telephone Number

01 809 2566 or 01 837 9964 (Healthcare professionals)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Aerosol 1;H222 Aerosol 1;H229

Most serious harmful effects: Extremely flammable aerosol. Pressurised container: May burst if heated.

2.2. Label elements

Pictograms



Signal word: Danger

H-phrases

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

PREVAL SPRAY GUN POWER UNIT

Replaces date: 15/04/2015 Revision date: 11/01/2018

Version: 2.0.0

P-phrases

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS number	EC No	REACH Reg. No.	Concentration	Notes	CLP- classification
propane	74-98-6	200-827-9		25 - 55%		Flam. Gas 1;H220 Press. Gas liq. gas;H280
butane	106-97-8	203-448-7		20 - 50%		Flam. Gas 1;H220 Press. Gas liq. gas;H280

Please see section 16 for the full text of H-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

Burns: Flush with water until pain ceases. Remove clothing that is not stuck to the skin - seek

medical advice/transport to hospital. If possible, continue flushing until medical attention is

obtained.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation of spray mist may cause irritation to the upper airways.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

Replaces date: 15/04/2015 Revision date: 11/01/2018

Version: 2.0.0

5.2. Special hazards arising from the substance or mixture

Heating will cause a rise in pressure in packaging with a risk of bursting. CAUTION! Aerosol containers may explode. Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

5.3. Advice for fire-fighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Provide good ventilation. Smoking and naked

flames prohibited.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

6.2. Environmental precautions

Avoid unnecessary release to the environment.

6.3. Methods and material for containment and cleaning up

Wipe up drops and splashes with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Work under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. Smoking and naked flames prohibited.

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not store with the following: Strong oxidisers/ Acids/ Metals.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m3	Comments	Remarks
propane	8h	1000		Asphx.	
butane	8h	1000			

PREVAL SPRAY GUN POWER UNIT

Replaces date: 15/04/2015 Revision date: 11/01/2018

Version: 2.0.0

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational

hygiene measurements.

Legal basis: 2016 Code of Practice for the Chemical Agents Regulations

8.2. Exposure controls

Appropriate engineering

controls:

Wear the personal protective equipment specified below.

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 166. eye/face protection:

Personal protective equipment, Plastic or rubber gloves recommended.

hand protection:

respiratory protection:

Personal protective equipment, In case of insufficient ventilation, wear respiratory protective equipment. Filter type: AX. Respiratory protection must conform to one of the following standards: EN 136/140/145.

Environmental exposure

controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit		
State	Aerosol		
Colour	Clear		
Odour	Weak Solvent		
Solubility	No data		
Explosive properties	No data		
Oxidising properties	No data		

Parameter	Value/unit	Remarks
pH (solution for use)	No data	
pH (concentrate)	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	-42.211.7 °C	
Flash Point	-104.4 °C	
Evaporation rate	> 1	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	1.8 - 18 vol%	
Vapour pressure	524 kPa	(21,1 °C)
Vapour density	1.8	
Relative density	0.6	
Partition coefficient n-octonol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity	No data	
Odour threshold	No data	

Replaces date: 15/04/2015 Revision date: 11/01/2018

Version: 2.0.0

9.2 Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Strong oxidisers/ Acids/ Metals.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

Product vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources. Avoid direct sunlight. Avoid temperatures >50°C.

10.5. Incompatible materials

Strong oxidisers/ Acids/ Metals.

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: Spray mist in mouth may irritate mucous membranes in mouth and throat. The product does

not have to be classified. Test data are not available.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: May cause slight irritation. The product does not have to be classified. Test data are not

available

Serious eye damage/eye

irritation:

Temporary irritation. The product does not have to be classified. Test data are not available.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

PREVAL SPRAY GUN POWER UNIT

Replaces date: 15/04/2015 Revision date: 11/01/2018

Version: 2.0.0

Single STOT exposure: Inhalation of spray mist may cause irritation to the upper airways. The product does not have

to be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

The product does not have to be classified. Test data are not available.

12.2. Persistence and degradability

Potentially degradable. Test data are not available.

12.3. Bioaccumulative potential

No bioaccumulation expected. Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid unnecessary release to the environment. Do not dispose of aerosol sprays in refuse collection, even when empty. The sprays must be sent to the municipal chemical waste collection facility with the specifications set out below.

Category of waste: Aerosol sprays: EWC code: 16 05 04 Gases in pressure containers containing dangerous

substances. Wiping cloths with organic solvents: EWC code: 15 02 02 Absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing

contaminated by dangerous substances

Absorbent/cloth contaminated with the product: EWC code: 15 02 02 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN-No.: 1950 **14.4. Packing group:**

Replaces date: 15/04/2015

Revision date: 11/01/2018 Version: 2.0.0

14.2. UN proper shipping

name:

AEROSOLS

14.5. Environmental

hazards:

The product should not be

labelled as an

environmental hazard (symbol: fish and tree).

14.3. Transport hazard

class(es):

2.1

Hazard label(s): 2.1

Hazard identification number:

Other Information:

Tunnel restriction code:

D

Inland water ways transport (ADN)

14.1. UN-No.:

name:

1950

2.1

2 1

AEROSOLS

14.4. Packing group:

14.5. Environmental The product should not be hazards:

labelled as an

environmental hazard (symbol: fish and tree).

14.3. Transport hazard

14.2. UN proper shipping

class(es):

Hazard label(s):

Transport in tank vessels:

Other Information:

Sea transport (IMDG)

14.1. UN-No.:

1950

AEROSOLS

14.4. Packing group: 14.5. Environmental

The product is not a Marine Pollutant (MP).

hazards:

14.3. Transport hazard

14.2. UN proper shipping

class(es):

name:

2.1

Environmental Hazardous Substance Name(s):

Hazard label(s):

2.1

F-D, S-U EmS:

IMDG Code segregation group:

- None -

Other Information:

Air transport (ICAO-TI / IATA-DGR)

14.1. UN-No.:

AEROSOLS, FLAMMABLE

14.4. Packing group: 14.5. Environmental

Other Information:

name:

14.3. Transport hazard

14.2. UN proper shipping

class(es):

Hazard label(s):

2.1

2.1

hazards:

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: Special care should be applied for employees under the age of 18. Young people under the

age of 18 may not carry out any work causing harmful exposure to this product.

Directive 2012/18/EU (Seveso), P3a FLAMMABLE AEROSOLS: Column 2: 150 (net) t,

Column 3: 500 (net) t.

PREVAL SPRAY GUN POWER UNIT

Replaces date: 15/04/2015 Revision date: 11/01/2018

Version: 2.0.0

Covered by:

Regulation about organisation, management and participation, FOR-2011-12-06-1355.

Latest amended by FOR-2012-12-19-1371.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
1.0.0	15/04/2015	Bureau Veritas HSE/ JRO	
2.0.0	11/01/2018	Bureu Veritas HSE/ SRU	1-5, 7, 8, 11, 15, 16

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as

subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

List of relevant H-statements

H220 Extremely flammable gas.
H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure, may explode if heated.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000

City: Fredericia
Country: DENMARK

E-mail: infohse@dk.bureauveritas.com

Phone: +45 77 31 10 00 Fax: +45 75 50 88 10

Homepage: www.hse.bureauveritas.dk

PREVAL SPRAY GUN POWER UNIT

Replaces date: 15/04/2015 Revision date: 11/01/2018

Version: 2.0.0

Document language: GB